Amendments to Claims

We claim:

1. (amended) A process for improving processability of mono- and multi-layer polymer shrink-films, comprising

adding a photoinitiator to a polymeric composition of which said monolayer film or at least one layer of said multilayer film is made, wherein said <u>polymeric</u> composition does not include polymer cross-linking enhancers,

extruding said composition,

illuminating said extruded composition with ultraviolet radiation, to induce cross-linking within said layer or layers of the film, the amount of said photoinitiator and the intensity and duration of said illumination being such as to provide a gel content below 10%, and

submitting said composition to an orientation treatment.

- 2. (amended) A process according to claim 1, wherein the orientation treatment is performed using \underline{a} the doublebubble technique.
- 3. (amended) A process according to claim 1, wherein the polymeric composition is selected in from the group consisting of polyethylene, ethylene copolymers, and their mixtures thereof.
- 4. (amended) A process according to claim 3, wherein the ethylene copolymers are selected in from the group consisting of LLDPE, LDPE, m-LLDPE, EVA, EBA, ULDPE, and their mixtures thereof.

- 5. (amended) A process according to claim 1, wherein the amount of photoinitiator is up to 1 weight percent of the composition to which it is added.
- 6. (Amended) A process according to <u>claim 1</u> any one of the <u>preceding claims</u>, wherein the film to be produced is a monolayer film.
- 7. (Amended) A process according to <u>claim 1</u> any one of the <u>preceding claims</u>, wherein the film is a multilayer film.
- 8. (original) A process according to claim 7, wherein no photoinitiator is added to one or more of the layers.
- 9. (original) A process according to claim 1, wherein the cross-linked material of one layer is chosen such that it provides strength and impermeability to the film.
- 10. (amended) A process according to claim 9, wherein the cross-linked material(s) of one or more external layer(s) are chosen such that they the cross-linked material(s) provide sealability to the film.
- 11. (amended) A process according to claim 1, wherein the orientation treatment is performed using $\frac{1}{2}$ tenter technique.
- 12. (amended) A monolayer shrink-film, which does not include polymer cross-linking enhancers and is cross-linked to the extent that it film comprises a gel content below 10%.

13. (amended) A multilayer shrink-film, which does not include polymer cross-linking enhancers, in which having some of the layers of the multilayer shrink-film some of the layers are cross-linked to the extent that they the cross-linked layers comprise a gel content below 10%, and others other layers of the multilayer shrink-film are not cross-linked.